





Southern Regional Cooperative Soil Survey Conference:

Innovative Technologies for the New Soil Survey
July 14-17, 2008 | Gainesville, FL






Southern Regional Cooperative Soil Survey Conference:

Innovative Technologies for the New

Soil Survey


July 14-17, 2008 | Gainesville, FL



Soil Mapping Spatial Scale

Taxonomic Accuracy

Santa Fe River Watershed (3,585 km²) ~8 counties in NE FL



Soil Order accuracy: 60.3%

Accuracy Soil Order & drainage class: 45.1%


Soil Series accuracy: 20.4%

Soil Property Accuracy

Santa Fe River Watershed (3,585 km²) ~8 counties in NE FL

SSURGO (Soil Data Mart) 1:24,000

Field sampling (n: 141) – Lab Data



Soil organic carbon (SOC) accuracy (1 m profile):

Root Mean Square Error = 27.8 kg m⁻²

Absolute SOC stored within watershed (1m profile) [SSURGO]:

53,350,771 Mg C


+/- 73,556,748 Mg C error

Tremendous needs for high-resolution and high-quality soil data

Soil Carbon Sequestration






















Geospatial analysis
GIS
GPS














Southern Regional Cooperative Soil Survey Conference:

Innovative Technologies for the New Soil Survey

July 14-17, 2008 | Gainesville, FL

Soil Mapping Spatial Variability





Key questions:

How large to make a map unit or soil pixel?
Which soil attributes should be mapped in a unit/pixel?
What is the accuracy and precision of soil data?

